

Application No.: 10/658,173

Docket No.: JCLA10431

In the Claims:

Claim 1. (currently amended) An antenna on a printed circuit board (PCB) with a compensating capacitor, the antenna comprising:

a radiator disposed over a first surface of the PCB, wherein the radiator includes a short circuit stub section, a signal feeding section, and a tuning section coupled together at a joint, wherein the tuning section includes a bending portion;

a signal feeding line, disposed on the first surface of the PCB and electrically coupled to the radiator at the signal feeding section of the radiator; and

a ground layer, disposed on a second surface of the PCB, wherein the radiator is off-site from the ground layer with one terminal of the short circuit stub section being electrically coupled to the ground layer, ~~wherein~~ and the bending portion of the tuning section being overlapping with the ground layer to form the compensating capacitor.

Claim 2. (original) The antenna of claim 1, wherein the ground layer includes a protruding portion from an edge, wherein the protruding portion is at least overlapping with the bending portion of the tuning section to form the compensating capacitor.

Claim 3. (original) The antenna of claim 2, wherein the bending portion of the tuning section extends into the ground layer, crossing over the protruding portion.

Application No.: 10/658,173

Docket No.: JCLA10431

Claim 4. (original) The antenna of claim 1, wherein the bending portion of the tuning section extends crossing over an edge of the ground layer.

Claim 5. (currently amended) An antenna on a printed circuit board (PCB) with a compensating capacitor, the antenna comprising:

a radiator disposed over a first surface of the PCB, wherein the radiator includes a signal feeding section and a tuning section coupled together at a joint, wherein the tuning section includes a bending portion;

a signal feeding line on the first surface of the PCB, electrically coupled to the radiator at the signal feeding section of the radiator; and

a ground layer, disposed on a second surface of the PCB, wherein the radiator is off-site from the ground layer with the bending portion of the tuning section is being overlapping with the ground layer to form the compensating capacitor.

Claim 6. (original) The antenna of claim 5, wherein the ground layer includes a protruding portion from an edge, wherein the protruding portion is at least overlapping with the bending portion of the tuning section to form the compensating capacitor.

Claim 7. (original) The antenna of claim 6, wherein the bending portion of the tuning section extends into the ground layer, crossing over the protruding portion.

Claim 8. (original) The antenna of claim 5, wherein the bending portion of the tuning section extends crossing over an edge of the ground layer.

Application No.: 10/658,173

Docket No.: JCLA10431

Claim 9. (currently amended) A method for forming an antenna on a printed circuit board (PCB), the method comprising:

forming a radiator over a first surface of the PCB, wherein the radiator at least includes a signal feeding section and a tuning section coupled at a joint;

forming a signal feeding line on the PCB, wherein the signal feeding line is electrically coupled to the radiator at the signal feeding section; and

forming a ground layer over a second surface of the PCB, wherein the ground layer is off-site from the radiator and a portion of the tuning section is arranged to have overlapping with a portion of the ground layer to form a compensating capacitor.

Claim 10. (original) The method of claim 9, wherein the radiator is further formed with a short circuit stub section, wherein one terminal of the short circuit stub section is electrically coupled to the ground layer short circuit stub section.

Claim 11. (original) The method of claim 10, wherein in the step of forming the ground layer, the ground layer is formed to include a protruding portion from an edge, wherein the protruding portion is at least overlapping with the portion of the tuning section to form the compensating capacitor.

Claim 12. (original) The method of claim 11, wherein the portion of the tuning section is formed to extend into the ground layer, crossing over the protruding portion.

Application No.: 10/658,173

Docket No.: JCLA10431

Claim 13. (original) The method of claim 10, wherein the portion of the tuning section has a bending portion which extends crossing over an edge of the ground layer.

Claim 14. (original) The method of claim 9, wherein in the step of forming the ground layer, the ground layer is formed to include a protruding portion from an edge, wherein the protruding portion is at least overlapping with the portion of the tuning section to form the compensating capacitor.

Claim 15. (original) The method of claim 14, wherein the portion of the tuning section is formed to extend into the ground layer, crossing over the protruding portion.

Claim 16. (original) The method of claim 9, wherein the portion of the tuning section has a bending portion which extends crossing over an edge of the ground layer.